

## TABLE OF CONTENTS

<b>Title</b>	<b>Page</b>
<b>Declaration</b>	
<b>Acknowledgements</b>	i
<b>Abstract</b>	iii
<b>Table of Contents</b>	v
<b>List of Tables</b>	xi
<b>List of Figures and Plates</b>	xiii
 <b>CHAPTER 1</b>	
<b>1.0</b>	<b>GENERAL INTRODUCTION AND STUDY OBJECTIVES</b>
<b>1.1</b>	<b>Section 1</b>
	<b>Review of currently available information on <i>Artemia</i></b>
	01
<b>1.1.1</b>	Available species and strains
	01
<b>1.1.2</b>	Geographical distribution
	03
<b>1.1.3</b>	Ecology
	04
<b>1.1.4</b>	Growth and development
	08
<b>1.1.5</b>	Cyst and biomass production
	10
<b>1.1.6</b>	Hatching characteristics and biometrics
	12
<b>1.1.7</b>	Nutritional quality
	14
<b>1.1.8</b>	Uses of <i>Artemia</i>
	17
<b>1.2</b>	<b>Section 2</b>
	<b>Study objectives and rationale for the present study</b>
	20
 <b>CHAPTER 2</b>	
<b>2.0</b>	<b>STUDIES ON NATURAL POPULATIONS OF SRI LANKAN <i>Artemia parthenogenetica</i></b>
	24
<b>2.1</b>	<b>Section 1</b>
	<b>Population ecology of <i>Artemia parthenogenetica</i> at Mahalewaya saltern</b>
	24
<b>2.1.1</b>	<b>INTRODUCTION</b>
	24
	2.1.1a Salterns and the presence of <i>Artemia</i>
	24
	2.1.1b The layout of Mahalewaya Saltern
	25

	<b>Page</b>	
<b>2.1.2</b>	<b>MATERIALS AND METHODS</b>	28
	2.1.2a Physico-chemical characteristics	28
	2.1.2b Population studies	29
<b>2.1.3</b>	<b>RESULTS</b>	30
	2.1.3a Physico-chemical characteristics	30
	2.1.3b Population studies	39
<b>2.1.4</b>	<b>DISCUSSION</b>	43
<b>2.2</b>	<b>Section 2</b>	
	<b>Production and processing of naturally produced</b>	
	<i>Artemia</i> cysts	51
<b>2.2.1</b>	<b>INTRODUCTION</b>	51
<b>2.2.2</b>	<b>MATERIALS AND METHODS</b>	52
	2.2.2a Cyst harvest at Mahalewaya Saltern	52
	2.2.2b Cyst processing	53
<b>2.2.3</b>	<b>RESULTS</b>	54
<b>2.2.4</b>	<b>DISCUSSION</b>	57
 <b>CHAPTER 3</b>		
<b>3.0</b>	<b>LIFE CYCLE, SURVIVAL, GROWTH AND</b>	
	<b>FECUNDITY OF <i>Artemia parthenogenetica</i></b>	
	<b>AND THEIR RESPONSES TO DIFFERENT</b>	
	<b>TEMPERATURES AND SALINITIES</b>	62
<b>3.1</b>	<b>INTRODUCTION</b>	62
<b>3.2</b>	<b>Section 1</b>	
	<b>Life cycle of <i>Artemia parthenogenetica</i></b>	
	<b>in laboratory studies</b>	63
<b>3.2.1</b>	<b>MATERIALS AND METHODS</b>	63
<b>3.2.2</b>	<b>RESULTS</b>	64
<b>3.3</b>	<b>Section 2</b>	
	<b>Effect of temperature and salinity</b>	
	<b>on survival, growth and fecundity of</b>	
	<i>Artemia parthenogenetica</i>	71
<b>3.3.1</b>	<b>MATERIALS AND METHODS</b>	71
<b>3.3.2</b>	<b>RESULTS</b>	72
	3.3.2a Survival	72
	3.3.2b Growth	75
	3.3.2c Fecundity	77

	<b>Page</b>
<b>3.4 DISCUSSION</b>	<b>80</b>
 <b>CHAPTER 4</b>	
<b>4.0 CULTURE OF <i>Artemia</i> IN EARTHEN PONDS</b>	<b>86</b>
<b>4.1 Section 1</b> <b>Experimental pond culture of <i>Artemia parthenogenetica</i> for cyst production</b>	<b>86</b>
<b>4.1.1 INTRODUCTION</b>	<b>86</b>
<b>4.1.2 MATERIALS AND METHODS</b>	<b>87</b>
4.1.2.1 Experimental ponds	87
4.1.2.2 Use of inorganic fertilizer	87
4.1.2.2a Experimental design	87
4.1.2.2b Water quality	88
4.1.2.2c Collection of cysts	89
4.1.2.3 Use of organic fertilizer	89
4.1.2.3a Experimental design	89
4.1.2.3b Water quality	90
4.1.2.3c Collection of cysts	90
<b>4.1.3 RESULTS</b>	<b>91</b>
4.1.3.1 Use of inorganic fertilizer	91
4.1.3.2 Use of organic fertilizer	98
<b>4.1.4 DISCUSSION</b>	<b>104</b>
 <b>4.2 Section 2</b> <b>Experimental pond culture of <i>Artemia parthenogenetica</i> for biomass production</b>	 <b>110</b>
<b>4.2.1 INTRODUCTION</b>	<b>110</b>
<b>4.2.2 MATERIALS AND METHODS</b>	<b>111</b>
<b>4.2.3 RESULTS</b>	<b>113</b>
<b>4.2.4 DISCUSSION</b>	<b>116</b>

	<b>Page</b>	
<b>4.3</b>	<b>Section 3</b>	
	<b>Experimental pond culture of <i>Artemia franciscana</i> for cyst and biomass production</b>	120
<b>4.3.1</b>	<b>INTRODUCTION</b>	120
<b>4.3.2</b>	<b>MATERIALS AND METHODS</b>	121
	4.3.2.1 Experimental site and pond layout	121
	4.3.2.2 Inoculation and fertilization	121
	4.3.2.3 Water quality	122
	4.3.2.4 Collection of cysts and biomass	122
<b>4.3.3</b>	<b>RESULTS</b>	123
<b>4.3.4</b>	<b>DISCUSSION</b>	127
<b>4.4</b>	<b>Section 4</b>	
	<b>Population structure and fecundity of <i>Artemia parthenogenetica</i> and <i>A. franciscana</i> under experimental pond culture</b>	130
<b>4.4.1</b>	<b>INTRODUCTION</b>	130
<b>4.4.2</b>	<b>MATERIALS AND METHODS</b>	131
<b>4.4.3</b>	<b>RESULTS</b>	132
	4.4.3.1 Population structure and its variation	132
	4.4.3.1a <i>Artemia parthenogenetica</i>	132
	4.4.3.1b <i>Artemia franciscana</i>	138
	4.4.3.2 Fecundity	140
	4.4.3.2a <i>Artemia parthenogenetica</i>	140
	4.4.3.2b <i>Artemia franciscana</i>	141
	4.4.3.3 Body length of <i>Artemia</i> stages	141
<b>4.4.4</b>	<b>DISCUSSION</b>	148
	4.4.4.1 Population structure and recruitment	148
	4.4.4.2 Fecundity	150
	4.4.4.3 Body length	152
<b>Chapter 5</b>		
<b>5.0</b>	<b>BIOMETRICAL CHARACTERISTICS OF SRI LANKAN <i>Artemia parthenogenetica</i></b>	154
<b>5.1</b>	<b>INTRODUCTION</b>	154
<b>5.2</b>	<b>MATERIALS AND METHODS</b>	155
	5.2.1 Cyst preparation	156
	5.2.2 Microscopic measurements	157
	5.2.3 Dry weight of nauplii	158
	5.2.4 Data analysis	158

	<b>Page</b>
<b>5.3</b>	<b>RESULTS</b> 159
<b>5.4</b>	<b>DISCUSSION</b> 161
 <b>CHAPTER 6</b>	
<b>6.0</b>	<b>THE HATCHING QUALITY OF <i>Artemia</i> CYSTS</b> 165
<b>6.1</b>	<b>Section 1</b>
	<b>Hatching characteristics of <i>Artemia</i> cysts and the effect of temperature, salinity and pH on the hatching percentage of cysts</b> 165
<b>6.1.1</b>	<b>INTRODUCTION</b> 165
<b>6.1.2</b>	<b>MATERIALS AND METHODS</b> 166
	6.1.2.1 Hatching percentage and hatching efficiency 166
	6.1.2.2 Hatching rate 168
	6.1.2.3 Effect of temperature, salinity and pH on the hatching percentage and hatching efficiency of <i>Artemia</i> cysts 169
	6.1.2.4 Data analysis 170
<b>6.1.3</b>	<b>RESULTS</b> 170
	6.1.3.1 Hatching percentage and hatching efficiency 170
	6.1.3.2 Hatching rate 172
	6.1.3.3 Effect of temperature, salinity and pH on the hatching percentage and hatching efficiency of <i>Artemia</i> cysts 175
<b>6.2</b>	<b>Section 2</b>
	<b>Effect of processing, packing and storage on the hatching quality of <i>Artemia</i> cysts</b> 182
<b>6.2.1</b>	<b>INTRODUCTION</b> 182
<b>6.2.2</b>	<b>MATERIALS AND METHODS</b> 183
	6.2.2.1 Processing 183
	6.2.2.2 Storage 184
	6.2.2.3 Study of hatching quality 184
<b>6.2.3</b>	<b>RESULTS</b> 185
<b>6.3</b>	<b>DISCUSSION</b> 189

	<b>Page</b>
<b>CHAPTER 7</b>	
<b>7.0 NUTRITIONAL EVALUATION OF <i>Artemia</i></b>	196
<b>7.1 INTRODUCTION</b>	196
<b>7.2 MATERIALS AND METHODS</b>	198
7.2.1 Use of <i>Artemia</i> as food for a freshwater fish	198
7.2.2 Use of <i>Artemia</i> as food for a marine shrimp	200
7.2.3 Data analysis	201
7.2.4 Evaluation of fatty acid composition	201
<b>7.3 RESULTS</b>	202
7.3.1 Use of <i>Artemia</i> as a feed	202
7.3.1.1 Survival value	202
7.3.1.2 Growth value	203
7.3.2 The fatty acid composition	208
<b>7.4 DISCUSSION</b>	212
<b>GENERAL DISCUSSION</b>	218
<b>APPENDIX 1</b>	223
<b>REFERENCES</b>	224

<b>List of Tables</b>	<b>Page</b>
Table 2.1.1. The dissolved oxygen content, gross primary productivity, mean monthly windspeed and mean evaporation in condenser pans in Mahalewaya saltern.	36
Table 2.2.1 Cyst harvest in Mahalewaya saltern in 1986 and 1987	56
Table 4.1.1. Production of <i>Artemia</i> cysts from culture experiment using inorganic fertilizer.	93
Table 4.1.2 Nature and percent contaminating matter found with <i>Artemia</i> cysts collected from experimental ponds in Palavi.	97
Table 4.1.3. Production of <i>Artemia</i> cysts produced from the culture experiment using organic fertilizer.	99
Table 4.3.1. Cyst production by inoculated SFB <i>Artemia</i> in experimental pond at Palavi Saltern.	124
Table 5.1 Biometrical characteristics of <i>A. parthenogenetica</i> and <i>A. franciscana</i> .	160
Table 6.1.1. The cyst sources of <i>Artemia</i> and the abbreviations used.	167
Table 6.1.2. The hatching percentage, the hatching efficiency and the dry weight of cysts needed to produce one million <i>Artemia</i> nauplii.	172
Table 6.1.3. Hatching rate of <i>Artemia</i> from different sources.	173
Table 6.1.4. The mean hatching percentage and hatching efficiency of <i>A. parthenogenetica</i> cysts from Palavi at varying salinity, temperature and pH.	176
Table 6.1.5. Two-factor analysis of variance for the hatching percentage of <i>Artemia parthenogenetica</i> cysts at different temperatures, salinities and pH.	180
Table 6.1.6. Two-factor analysis of variance for the hatching efficiency of <i>Artemia parthenogenetica</i> cysts at different temperatures, salinities and pH.	181
Table 6.2.1 The ANOVA results on the hatching percentage of <i>Artemia</i> cysts processed, packed and stored using different methods.	188
Table 7.1. The cyst sources of <i>Artemia</i> , the fish and shrimp and the abbreviations used in the text.	203

	<b>Page</b>
Table 7.2. Percentage survival, mean length and mean weight of <i>C. auratus</i> and <i>P. monodon</i> fed two <i>Artemia</i> strains.	205
Table 7.3. Fatty Acid Methyl Esters of initial fish and shrimp, those fed the two <i>Artemia</i> strains and the two sources of <i>Artemia</i> .	208
Table 7.4. Fatty acid Methyl Esters of freshly-hatched nauplii of <i>A. parthenogenetica</i> from Mahalewaya saltern.	209



<b>List of Figures</b>		<b>Page</b>
Fig. 2.1.1.	Map of Mahalewaya saltern, Hambantota.	26
Fig. 2.1.2.	Monthly mean salinity variation in Condenser pans in Mahalewaya saltern.	31
Fig. 2.1.3a.	Monthly mean temperature variation in condenser pans in Mahalewaya saltern	33
Fig.2.1.3b.	Temperature variation over a 24-hour period in condenser pans.	33
Fig. 2.1.4.	Monthly mean variation in water depth in condenser pans.	34
Fig. 2.1.5.	Variation in wind velocity over a 24-hour period in Mahalewaya saltern.	37
Fig. 2.1.6.	Rainfall in Mahalewaya saltern from August 1986 to September 1987.	37
Fig. 2.1.7a-c.	Variation in population structure of <i>Artemia</i> in condenser pans in Mahalewaya saltern.	41
	d. Variation in total population of <i>Artemia</i> in condenser pans.	41
Fig. 3.1.1	Hatching of <i>Artemia</i> cyst.	66
Fig. 3.1.2	Gnathobasenseta in the second antenna in instar I, II and III in <i>Artemia</i> .	68
Fig. 3.2.1a-d	Percentage survival in <i>Artemia</i> at different temperatures and salinities.	74
Fig. 3.2.2a-c.	Variation in mean length in <i>Artemia</i> at different temperatures and salinities.	76
.Fig. 3.2.3.	Changes in fecundity and mode of reproduction of <i>Artemia parthenogenetica</i> with increase in salinity.	79
Fig. 4.1.1.	Rainfall pattern for the years 1989 and 1990 in Palavi Saltern.	94
Fig. 4.1.2.	Surface and bottom temperature variation in ponds during <i>Artemia</i> culture trial using inorganic fertilizer.	95
Fig. 4.1.3a-b.	Surface and bottom salinity variation in ponds during <i>Artemia</i> culture trial using inorganic fertilizer.	95
Fig. 4.1.4a-d.	Water depth and Secchi depth variation in ponds during culture trial using inorganic fertilizer.	96

	<b>Page</b>
Fig. 4.1.5.	Pattern of 3-day cyst production by Sri Lankan <i>Artemia</i> during culture trial using organic fertilizer. 100
Fig. 4.1.6.	Surface and bottom temperature variation during <i>Artemia</i> culture trial using organic fertilizer. 100
Fig. 4.1.7a-b.	Surface and bottom salinity variation during <i>Artemia</i> culture trial using organic fertilizer. 101
Fig. 4.1.8a-d.	Water depth and Secchi depth variation in ponds during culture trial using organic fertilizer. 103
Fig. 4.2.1a-d.	Surface and bottom variation in selected physico-chemical parameters in experimental pond and rainfall in Palavi during the culture period of Sri Lankan <i>Artemia</i> for biomass production. 115
Fig. 4.3.1a-e.	Fecundity, cyst harvest, variations in salinity, temperature and rainfall during the SFB <i>Artemia</i> culture experiment at Palavi. 125
Fig. 4.4.1.	Total population of <i>A. parthenogenetica</i> in inorganic fertilization experiment. 134
Fig. 4.4.2a-d.	Variation in population structure in <i>A. parthenogenetica</i> in inorganic fertilization experiment. 135
Fig. 4.4.3.	Total population of <i>A. parthenogenetica</i> in experimental culture ponds in organic fertilization experiment. 136
Fig. 4.4.4a-d.	Variation in population structure in <i>Artemia parthenogenetica</i> in organic fertilization experiment. 137
Fig. 4.4.5.	Variation in population structure of <i>Artemia franciscana</i> cultured in Palavi. 139
Fig. 4.4.6a-d.	Percent ovoviviparous and oviparous females and those with empty broodpouches of <i>Artemia parthenogenetica</i> in inorganic fertilization experiment. 143
Fig. 4.4.6e-h.	Percent ovoviviparous and oviparous females and those with empty broodpouches of <i>Artemia parthenogenetica</i> in inorganic fertilization experiment. 144

	<b>Page</b>
Fig. 4.4.7a.	Percentages of reproducing and non-reproducing females in <i>Artemia franciscana</i> population in experimental culture. 145
Fig. 4.4.7b.	Mean fecundity in <i>Artemia franciscana</i> females in experimental culture. 145
Fig. 4.4.8.	Length of different life cycle stages of <i>Artemia</i> in experimental culture. 146
Fig. 4.4.9.	Percent frequency distribution of males and females of <i>A. franciscana</i> in experimental culture. 146
Fig. 4.4.10.	Percentages of males and females of <i>A. franciscana</i> in experimental culture. 147
Fig. 6.1.1.	Percentage of maximal hatching efficiency of different <i>Artemia</i> cyst sources with time. 174
Fig. 6.1.2a-d.	Hatching percentage of <i>Artemia</i> cysts at different temperatures, salinities and pH. 178
Fig. 6.2.1a-c.	Hatching percentage of <i>Artemia</i> cysts processed, packed and stored using different methods. 187
Fig. 7.1a-b.	Mean length and mean weight in <i>C. auratus</i> fed <i>A. parthenogenetica</i> and <i>A. franciscana</i> . 206
Fig. 7.2.	Percentages of total fatty acids of 18:3n3 and n-6 fatty acids in relation to n-3 HUFA. 210

### List of Plates

Plate 1.	<i>Artemia parthenogenetica</i> cysts from Mahalewaya saltern. 64a
Plate 2.	<i>Artemia</i> cyst in breaking stage. 64a
Plate 3.	Embryo (pre-nauplius) of <i>Artemia</i> in "umbrella stage". 65a
Plate 4.	Instar I of <i>Artemia</i> . 65a
Plate 5.	Instar II of <i>Artemia</i> . 65b
Plate 6.	Instar III of <i>Artemia</i> (Metanauplius II). 65b
Plate 7.	Metanauplius III 69a