

TABLE OF CONTENTS

CONTENTS	
LIST OF FIGURES	
LIST OF TABLES	
LIST OF PLATES	
ACKNOWLEDGEMENTS	
SUMMARY	
	PAGE
CHAPTER 1	
INTRODUCTION	
1.1 ENVIRONMENT, DEVELOPMENT AND ENVIRONMENTAL MANAGEMENT	1
1.2 ENVIRONMENTAL PROTECTION AND MANAGEMENT IN SRI LANKA	5
1.2.1 ENVIRONMENTAL BACKGROUND	5
1.2.3 ENVIRONMENTAL POLICY, STATUTES AND LEGISLATION	11
1.2.4 CURRENT STATUS OF EIA IN SRI LANKA	17
1.3 DEVELOPMENT AND THE AQUATIC ENVIRONMENT	19
1.4 WETLANDS IN SRI LANKA	20
1.5 TYPES OF WETLAND AND THEIR CLASSIFICATION	21
1.5.1 DEFINITION	21
1.5.2 CLASSIFICATION	22
1.5.2.1 MARINE AND COASTAL WETLANDS	24
1.5.2.2 INLAND NATURAL WETLANDS	26
1.5.2.3 MAN-MADE WETLANDS	26
1.6 ECONOMIC IMPORTANCE OF SRI LANKAN WETLANDS	26
1.7 DEGRADATION TRENDS AND CAUSES	30
1.8 WETLANDS: THEIR CONSERVATION AND MANAGEMENT	32
1.8.1 STATUTES AND LEGISLATION	32
1.8.2 CURRENT STATUS OF WETLAND MANAGEMENT IN SRI LANKA	34
1.9 RATIONALE FOR PRESENT STUDY	35
1.10 OBJECTIVES OF THE STUDY	36

CHAPTER 2

METHODOLOGIES FOR ENVIRONMENTAL ASSESSMENT IN WETLAND ECOSYSTEMS

2.1	INTRODUCTION	38
2.2	ENVIRONMENTAL IMPACT ASSESSMENT (EIA)	38
2.3	BASIC STEPS IN EIA	41
2.3.1	SCOPING	41
2.3.2	BASELINE STUDY	42
2.3.3	IMPACT IDENTIFICATION	42
2.3.4	IMPACT PREDICTION	43
2.3.5	IMPACT EVALUATION	43
2.3.6	IDENTIFICATION OF MITIGATION MEASURES	44
2.3.7	MONITORING	44
2.3.8	PREPARATION OF ENVIRONMENTAL IMPACT STATEMENTS	45
2.4	EIA METHODS	45
2.4.1	AD HOC METHODS	46
2.4.2	CHECKLISTS	47
2.4.3	MATRICES	47
2.4.4	NETWORK ANALYSIS	47
2.4.5	OVERLAYS	48
2.4.6	MODELLING METHODS	48
2.4.7	ADAPTIVE METHODS	48
2.4.8	ECONOMIC ANALYSIS	48
2.5	SUSTAINABLE WETLAND MANAGEMENT;	49
2.6	WETLAND FUNCTIONS AND VALUES	53
2.7	ENVIRONMENTAL ASSESSMENT FRAMEWORK FOR WETLAND MANAGEMENT	59
2.8	PREDICTORS OF FUNCTIONS AND VALUES	61
2.8.1	RECHARGE/ DISCHARGE OF GROUND WATER	63
2.8.2	FLOOD FLOW ALTERATION	64
2.8.3	SHORELINE/SEDIMENT STABILIZATION	66
2.8.4	SEDIMENT/TOXICANT RETENTION.	66
2.8.5	NUTRIENT REMOVAL/TRANSFORMATION	70
2.8.6	FISH AND WILDLIFE HABITATS	74
2.8.7	BIOMASS PRODUCTION, SUBSISTENCE AND SUSTAINABLE DEVELOPMENT	78

2.9	EVALUATION OF WETLAND BASE-LINE CONDITIONS	80
2.10	ASSESSMENT OF IMPACTS ON WETLAND FUNCTIONS	82
2.11	REVIEW OF THE APPLICATION OF ENVIRONMENTAL ASSESSMENT METHODS IN WETLANDS	83
2.12.	CONSTRAINTS AND LIMITATIONS	85
2.13	SUMMARY	86

CHAPTER 3

ENVIRONMENTAL ASSESSMENT METHODS FOR WETLANDS IN SRI LANKA 87

3.1	INTRODUCTION	87
3.2	SELECTION OF ASSESSMENT METHODS.	87
	3.2.1 BASIC ASSESSMENT METHODS	89
	3.2.2 CRITERIA FOR SELECTION OF METHODS	89
3.3	METHODS FOR FUNCTIONAL EVALUATION (BASE-LINE).	91
	3.3.1 DATA/INFORMATION REQUIREMENTS AND ASSEMBLY	92
	3.3.2 METHODS FOR SCREENING POTENTIAL WETLAND FUNCTIONS	92
	3.3.3 METHODS FOR ASSESSMENT OF FUNCTIONAL CAPACITY (MAGNITUDE)	96
	3.3.3.1 GUIDED SCALED-WEIGHTED HECKLISTS	
	3.3.3.2 ENVIRONMENTAL EVALUATION SYSTEM EES) (DATA-INTENSIVE SCALED-WEIGHTEDCHECKLIST)	96
	3.3.3.3 ECONOMIC APPRAISAL METHODS	102
3.4	METHODS FOR EIA IN WETLANDS	105
	3.4.1 METHODS FOR IMPACT IDENTIFICATION AND SCREENING.	106
	3.4.2 METHODS FOR IMPACT PREDICTION AND EVALUATION	107
	3.4.2.1 METHODS FOR DATA ASSEMBLY	107
	3.4.2.2 METHODS TO DETERMINE IMPACT MAGNITUDE 91	110
	3.4.2.2.1 QUESTIONNAIRE CHECKLISTS	110
	3.4.2.2.2 SCALING-WEIGHTING MATRICES	110

3.4.2.2.3	SCALED-WEIGHTED CHECKLISTS	111
3.4.2.2.4	EXTENDED COST-BENEFIT ANALYSIS	112
3.4.2.3	METHODS FOR IMPACT EVALUATION	115

3.5 SUMMARY

CHAPTER 4

CASE STUDY 1: TABBOWA WETLAND

4.1	INTRODUCTION	118
4.1.1	HYPOTHESES	119
4.1.2	LOCATION OF THE STUDY AREA	119
4.2	MATERIALS AND METHODS	122
4.2.1	IDENTIFICATION OF ASSESSMENT AREA	122
4.2.2	IDENTIFICATION OF DATA REQUIREMENTS	122
4.2.3	SECONDARY DATA COLLECTION	122
4.2.4	IDENTIFICATION OF INFORMATION GAPS	124
4.2.4.1	VEGETATION SURVEY	124
4.2.4.2	BENTHIC FAUNA	125
4.2.4.3	LAND-USES	125
4.2.4.4	SOCIO-ECONOMIC SURVEY	125
4.3	ENVIRONMENTAL PROFILE OF TABBOWA WETLAND (BASE-LINE)	127
4.3.1	TYPE OF WETLAND	127
4.3.2	PHYSICAL CHARACTERISTICS	127
4.3.3	GEOLOGY	131
4.3.4	SOILS	131
4.3.5	CLIMATE	131
4.3.6	HYDROLOGY	135
4.3.7	WATER QUALITY	135
4.3.8	FLORA	
4.3.8.1	PHYTOPLANKTON	137
4.3.8.2	MACROPHYTES	137
4.3.9	FAUNA	142
4.3.9.1	ZOOPLANKTON	142
4.3.9.2	INVERTEBRATE FAUNA (BENTHIC)	
4.3.9.3	FISH	145
4.3.9.4	AVIFAUNA	145
4.3.9.5	OTHER WILDLIFE	145
4.3.10	HUMAN POPULATION AND SOCIO-ECONOMICS	148
4.3.11	LAND AND RESOURCE USE	151

4.3.12	FISHERIES	157
4.3.13	AGRICULTURE	160
4.3.14	UNIQUENESS/HERITAGE	160
4.4	SCREENING OF FUNCTIONS, USES AND ATTRIBUTES OF TABBOWA WETLAND	161
4.5	ASSESSMENT OF MAGNITUDE OF FUNCTIONS, USES AND ATTRIBUTES	165
4.5.1	GUIDED SCALED/WEIGHTED CHECKLIST	166
4.5.1.1	SELECTION OF CHARACTERISTICS	166
4.5.1.2	ASSESSMENT OF MAGNITUDE (SCALE)	166
4.5.1.3	ASSIGNMENT OF SIGNIFICANCE TO PREDICTOR VARIABLES	175
4.5.1.4	SOCIAL SIGNIFICANCE OF WETLAND FUNCTIONS AND ATTRIBUTES	179
4.5.1.5	OVERALL WETLAND VALUE	186
4.6	POTENTIAL USE OF ENVIRONMENTAL EVALUATION SYSTEM (EES)	187
4.7	AN OUTLINE FOR THE ECONOMIC EVALUATION OF FUNCTIONAL CAPACITY (BENEFITS AND COSTS)	189
4.7.1	NET BENEFITS OF AGRICULTURE	194
4.7.2	NET BENEFITS OF FISHERY	195
4.7.3	NET BENEFIT OF RARING LIVESTOCK	199
4.7.4	NET BENEFITS OF GROUND WATER RECHARGE	199
4.7.5	NET BENEFIT OF SEDIMENT/TOXICANT RETENTION AND NUTRIENT REMOVAL/TRANSFORMATION	200
4.7.6	NET BENEFITS OF WILDLIFE HABITATS- TOURISM, EDUCATION AND RESEARCH	201
4.8	DISCUSSION	201
4.10	SUMMARY	204

CHAPTER 5

CASE STUDY 2 : MUTHURAJAWELA AND NEGOMBO LAGOON

5.1	BACKGROUND	205
5.1.1	HYPOTHESES	206
5.1.2	LOCATION OF THE STUDY AREA	207
5.2	MATERIALS AND METHODS	207
5.2.1	PROPOSED DEVELOPMENT ACTIVITY	207

5.2.2.1	DESCRIPTION OF MUTHURAJAWELA (KERAWALAPITIYA) RECLAMATION PROJECT	210
5.2.2.2	PROJECT COSTS AND BENEFITS	214
5.2.2	IDENTIFICATION OF ASSESSMENT AREA	214
5.2.3	SOURCES OF SECONDARY DATA	214
5.2.4	COLLECTION OF PRIMARY DATA	215
5.3	ENVIRONMENTAL PROFILE OF MUTHURAJAWELA / NEGOMBO LAGOON WETLAND	216
5.3.1	TYPE OF WETLAND	216
5.3.2	PHYSICAL CHARACTERISTICS	217
5.3.3	GEOLOGY	217
5.3.3.1	GEOCHEMISTRY OF THE PEAT DEPOSIT151	217
5.3.4	SOILS	221
5.3.5	CLIMATE	223
5.3.6	HYDROLOGY	223
5.3.6.1	PRESENT DRAINAGE PATTERN	223
5.3.6.2	FLOOD DETENTION AND DRAINAGE	229
5.3.7	WATER QUALITY	233
5.3.7.1	SEDIMENT/TOXICANT RETENTION AND TRANSPORTATION	233
5.3.8	VEGETATION	237
5.3.8.1	MUTHURAJAWELA WETLAND	237
5.3.8.2	TRANSITION AREA	241
5.3.8.3	NEGOMBO LAGOON	241
5.3.8.4	ECOLOGICAL STATUS OF PLANT SPECIES IN THE STUDY AREA	244
5.3.9	FAUNA164	244
5.3.9.1	ZOOPLANKTON	244
5.3.9.2	BENTHIC INVERTEBRATES	245
5.3.9.3	FISH AND SHELLFISH	245
5.3.9.4	AVIFAUNA	249
5.3.9.5	REPTILES	251
5.3.9.6	AMPHIBIANS	251
5.3.9.7	TERRESTRIAL INVERTEBRATES	252
5.3.9.8	DISEASE VECTORS AND PATHOGENS	252
5.4	SOCIO-ECONOMICS OF THE COMMUNITIES IN AND AROUND THE MUTHURAJAWELA WETLAND AND NEGOMBO LAGOON	252
5.4.1	SOCIO-DEMOGRAPHIC PROFILE	253
5.4.2	LAND AND RESOURCE USES	254
5.4.2.1	FISHERIES	254
5.4.2.2	AGRICULTURE	262
5.4.2.3	OTHER SUBSISTENCE RESOURCE USES	264

5.5	SCREENING OF POTENTIAL FUNCTIONS, USES AND ATTRIBUTES OF MUTHURAJAWELA AND NEGOMBO LAGOON WETLAND SYSTEM	265
5.6	ASSESSMENT OF MAGNITUDE (SCALE) OF THE FUNCTIONS	267
5.7	EVALUATION OF SOCIAL SIGNIFICANCE OF WETLAND FUNCTIONS	272
5.8	OVERALL WETLAND VALUE	272
5.9	IDENTIFICATION OF IMPACTS OF WETLAND RECLAMATION PROJECT	274
	5.9.1 PROJECT ACTIVITIES	274
	5.9.2 IDENTIFICATION OF IMPACTS	278
5.10	PREDICTION OF THE MAGNITUDE OF IMPACTS ON THE WETLAND FUNCTIONS WITH PROPOSED AND ALTERNATIVE RECLAMATION SITES	286
5.11	VERALL IMPACT ON WETLAND FUNCTIONAL CAPACITY	287
5.12	DISCUSSION	292
5.13	SUMMARY	294
 CHAPTER 6		
ENVIRONMENTAL ASSESSMENT FOR WETLAND MANAGEMENT IN SRI LANKA		
6.1	DISCUSSION	295
6.2	CONCLUSIONS	304
6.3	RECOMMENDATIONS	305
	REFERENCES	308
	APPENDICES	322

LIST OF FIGURES

CHAPTER 1

- 1.1 Location and geographical features of Sri Lanka [6]
- 1.2 Bioclimatic zones of Sri Lanka [8]
- 1.3 Distribution of rainfall in Sri Lanka [8]
- 1.4 General procedure adopted for the evaluation of development projects in Sri Lanka [16]
- 1.5 Types of geographical locations of wetlands [23]
- 1.6 A schematic diagram of the wetland systems [23]
- 1.7 Classification of wetlands in Sri Lanka [25]
- 1.8 Locations of major coral reefs, coastal lagoons, estuaries and mangrove areas in Sri Lanka [27]
- 1.9 Localities of some inland lacustrine and palustrine wetlands [28]
- 1.10 Distribution of man-made wetlands (reservoirs) in Sri Lanka [28]

CHAPTER 2

- 2.1 Principles and practice of sustainable development in the wetland context [51]
- 2.2 A model for sustainable wetland management [52]
- 2.3 Flow diagram for the activities and major procedure appropriate in a wetland EIA framework [60]
- 2.4 Pathways of nitrogen transformation in wetland-plant-water system [73]

CHAPTER 3

- 3.1 Basic steps in the suggested (by the author) approach for the evaluation of base-line functional capacity of a wetland [93]
- 3.2 A hypothetical value-function curve [101]
- 3.3 Components of total value and methods for wetland benefit evaluation [104]
- 3.4 Some typical value-function curves [105]

CHAPTER 4

- 4.1 Location of Tabbowa wetland (reservoir) and its catchment area [120]
- 4.2 Location of other wetlands (lacustrine and palustrine) in the catchment area of Tabbowa wetland [121]
- 4.3 Procedure adopted for the collection of base-line data and analysis for Tabbowa wetland [139]
- 4.4 Location of the sample areas for the socio-economic survey [126]
- 4.5 Bathymetric map for Tabbowa wetland [129]
- 4.6 Area-capacity curve for Tabbowa wetland [130]
- 4.7 Geological formations in the Tabbowa region [132]

- 4.8 Distribution of soil types in Tabbowa region [133]
- 4.9 Climatic diagram for Puttalam [134]
- 4.10 Average monthly rates of evaporation and relative humidity in Tabbowa region [134]
- 4.11(a) Monthly fluctuations of mean water level and capacity of Tabbowa reservoir [136]
- (b) Monthly variation in wind speed and rainfall at Tabbowa reservoir
- 4.12 Relative phytoplankton composition in Tabbowa wetland in March/ April, 1992 [138]
- 4.13 A schematic representation of a generalized profile of the vegetation in the wetland (draw-down area) [140]
- 4.14 A schematic representation of a generalized profile of the forest vegetation in the hinterland of Tabbowa wetland [140]
- 4.15 Distribution of major groups of benthic fauna in Tabbowa reservoir [143]
- 4.16 Relative composition of benthic fauna [144]
- 4.17 Distribution of major resident and migrant avifauna [146]
- 4.18 Elephant movement in the near catchment area of Tabbowa wetland [147]
- 4.19 Land-use in the immediate catchment area of Tabbowa wetland [153]
- 4.20 Resource-use in Tabbowa wetland [158]
- 4.21 Fish yield in Tabbowa wetland (1986 - 1987) [159]
- 4.22 Interpretation keys to assess the social significance of shallow water aquifer recharge, sediment/ toxicant retention and nutrient removal/ transformation functions of Tabbowa wetland [183]
- 4.23 Interpretation keys to assess the social significance of aquatic, wildlife diversity/ abundance and biomass production/ support to subsistence uses of Tabbowa wetland [184]
- 4.24 Diagrammatic representation of overall wetland value [188]
- 4.25 Some value-function curves to assess the ground water recharge function of a wetland [190]
- 4.26 Some value-function curves useful to evaluate the capacity of performing sediment/toxicant retention and nutrient removal/ transformation functions of a wetland [191]
- 4.27 Value-function curves useful to assess the capacity of aquatic/ wildlife habitat- functions of a wetland [192]
- 4.28 Value function-curves to assess the capacity of a wetland in Biomass production to support subsistence uses [193]
- 4.29 Fishing effort and mean water level of Tabbowa wetland [196]
- 4.30 Relative composition of fish species caught by different fishing methods [197]

LIST OF TABLES

CHAPTER 1

- 1.1 Some basic data on Sri Lanka [10]
- 1.6 A list of threats, according to the severity, to the existence and maintenance of high productivity of wetlands in Sri Lanka [31]

CHAPTER 2

- 2.1 Interactions of wetland functions and values [54]
- 2.2 Functions, values and attributes of the major types of wetlands [62]
- 2.3 Wetland characteristics potentially used as predictors of ground water recharge- discharge function of wetlands [65]
- 2.4 Wetland characteristics potentially used as predictors of flood flow alteration function of wetlands [67]
- 2.5 Wetland characteristics potentially used as predictors of sediment/shoreline stabilization function of wetlands [68]
- 2.6 Wetland characteristics potentially used as predictors of sediment/toxicant retention function of wetlands [71]
- 2.7 Wetland characteristics potentially used as predictors of nutrient removal/ transformation function of wetlands [75]
- 2.8 Wetland characteristics potentially used as predictors of aquatic habitat function of wetlands [77]
- 2.9 Characteristics of wetlands that are likely to sustain an abundant and diverse fauna [79]
- 2.10 Wetland characteristics potentially used as predictors of effectiveness of wetlands as biomass producers and in supporting subsistence uses [81]

CHAPTER 3

- 3.1 A classification system for EIA methods [88]
- 3.2 Data/information requirement for wetland base-line evaluation [94]
- 3.3 The major wetland characteristics and potential sources of secondary information [95]
- 3.4 Table for calculating Relative Importance Coefficient (RIC) [98]
- 3.5 Environmental assessment methods of potential application for wetland EIA in Sri Lanka [117]

CHAPTER 4

- 4.1a Some physical characteristics of Tabbowa wetland [128]
- 4.1b Physico-chemical parameters (surface water) of Tabbowa wetland [128]
- 4.2 Socio-demographic profile of the communities in the study area [149]

- 4.3 Employment status, average monthly income by main source and average family income [150]
- 4.4 General housing condition of the sample villages [152]
- 4.5 Average annual household expenditure of the sample areas [152]
- 4.6 Present land-use in the Tabbowa wetland and its catchment area [154]
- 4.7 Land holding (%) and percentage land-use in the four sample areas [155]
- 4.8 Domestic water supply (%) in the four sample areas [156]
- 4.9 Source of water for different agricultural practices (%) [156]
- 4.10 The questionnaire checklist adopted to screen the potential functions, uses and attributes of Tabbowa wetland [162 - 164]
- 4.11 Scaled-weighted checklist for functional evaluation of Tabbowa wetland [167 - 169]
- 4.12 Assignment of significance values for the predictor parameters of ground water recharge function of the wetland [176]
- 4.13 Assignment of significance values for the predictor parameters of sediment/ toxicant retention function of the wetland [176]
- 4.14 Assignment of significance values for the predictor parameters of nutrient removal/ transformation function of the wetland [177]
- 4.15 Assignment of significance values for the predictor parameters of aquatic habitat function of the wetland [177]
- 4.16 Assignment of significance values for the predictor parameters of the wildlife habitat function of the wetland [178]
- 4.17 Assignment of significance values for the predictor parameters of the function of biomass production/ support to subsistence uses of the wetland [178]
- 4.18 Questionnaire checklist to evaluate the social significance of functions of Tabbowa wetland [180 - 182]
- 4.19 Overall value of Tabbowa wetland [185]

CHAPTER 5

- 5.1 Some pertinent information on the Muthurajawela wetland reclamation project [210]
- 5.2 Distribution of land in the Muthurajawela wetland, according to the elevation [218]
- 5.3 Main climatic characteristics of the study area (Muthurajawela and Negombo Lagoon) [224]
- 5.4 Data on the seasonal inflow and outflow rates in Muthurajawela wetland [227]
- 5.5 Surface water quality of the three sub-assessment areas [234]
- 5.6a Socio-demography of two areas (Pitipana and Thaladuwa) around Negombo Lagoon [256]
- 5.6b Occupation structure of two areas (Pitipana and Thaladuwa) around Negombo Lagoon [257]
- 5.6c Average monthly income of the households in two areas (Pitipana and Thaladuwa) around Negombo Lagoon [258]
- 5.7 Land-use in the catchment of Muthurajawela and Negombo Lagoon [259]
- 5.8 Existing land-use in the wetland (study area) [261]

- 5.9 Average annual income per household from various sources, in different areas of Muthurajawela wetland [261]**
- 5.10 Potential functions and values identified for Muthurajawela, Negombo Lagoon and the transition zone [266]**
- 5.11 The base-line overall wetland values of the three sub-assessment areas [273]**
- 5.12a Network analysis for the identification of impacts of reclamation on the wetland, during the construction (reclamation) phase [279 - 281]**
- 5.12b Network analysis for the identification of the impacts of the operational (post-reclamation) phase [282 - 283]**
- 5.13 Simple environmental impact matrix for the proposed reclamation project [284 - 285]**
- 5.14a Predicted functional capacity values for the three sub-assessment areas, without (base-line) and with the proposed and alternative reclamation projects [288]**
- 5.14b Overall wetland values with the proposed and alternative reclamation projects [289]**
- 5.15 Changes in the functional and the overall value with the proposed and alternative reclamation sites [290]**
- 5.16 Percentage impact (in relation to the base-line functional status) of reclamation on the functions of Muthurajawela/ Negombo Lagoon wetland [291]**

LIST OF PLATES

CHAPTER 4

- 4.1 The inlet (Nanneri Oya) of Tabbowa wetland
- 4.2 Tabbowa reservoir created by damming Nanneri Oya (river).
- 4.3 Short grasses, mainly *Cyanodon dactylon* dominates the vegetation in the submerged and draw-down areas.
- 4.4 The peripheral area of the wetland. The hinterland is occupied by dry-evergreen forests.
The draw-down area provides the largest grazing land for the livestock in the area.

CHAPTER 5

- 5.1 A homestead built on a peat-filled area in the southern-most part of Muthurajawela, the proposed site for the large-scale reclamation project. The pool of water (foreground) created by the peat excavation provides permanent habitats for aquatic organisms.
- 5.2 Aquatic vegetation in the small canals of Muthurajawela.
- 5.3 Wetland vegetation dominated by sedges and grasses.
- 5.4 Mangrove (*Rhizophora mucronata*) vegetation in Negombo Lagoon.

LIST OF APPENDICES

CHAPTER 1

- 1.1 - List of project approving agencies [322]
- 1.2 - List of prescribed projects (general) [323]
- 1.3 - List of prescribed projects in environmentally sensitive areas [324]
- 1.4 - List of environmentally sensitive areas threatened resources [325]
- 1.5 - Coast Conservation Department guidelines for EIA [326]

CHAPTER 3

- 3.1 - Economic methods for wetland benefit evaluation [327]

CHAPTER 4

- 4.1a - Questionnaire used to gather socio-economic data pertinent to Tabbowa wetland [330]
- 4.1b - List of phytoplankton species recorded from Tabbowa wetland during March/ April, 1992 survey [333]
- 4.2 - Flowering plant species recorded from Tabbowa wetland and its immediate catchment area (March-April, survey) [334]
- 4.3 - List of invertebrate species encountered in Tabbowa wetland during the survey (March - April, 1992) [336]
- 4.4 - List of fish species recorded from Tabbowa wetland [337]
- 4.5 - List of bird species, recorded to visit Tabbowa wetland during 1990-1992 [338]
- 4.6 - List of common reptiles in and around Tabbowa wetland [342]
- 4.7 - List of mammals inhabiting the study area [343]

CHAPTER 5

- 5.1 - Questionnaire used to gather economic data on wetland resource use [344]
- 5.2a - Calculation of scarcity indices for aquatic birds in the study area [346]
- 5.2b - Calculation of scarcity indices for aquatic birds in the study area [349]
- 5.3a - The questionnaire checklist used to screen the potential functions, uses and attributes of Muthurajawela peaty swamp [352]
- 5.3b - The questionnaire checklist used to screen the potential functions, uses and attributes of Negombo Lagoon [354]
- 5.3c - The questionnaire checklist used to screen the potential functions, uses and attributes of the transition zone [356]
- 5.4a - The scaled-weighted checklist for the evaluation of magnitude of functions identified for Muthurajawela [358]