

CONTENTS

SI No	PARTICULARS	Page No
1.	INTRODUCTION	1
2.	REVIEW OF LITERATURE	6
2.1.	Seaweed Utilization	6
2.2.	Economic Importance of Brown Algae	7
2.3	Brown Algae as Food	7
2.4.	Minerals Composition of the Selected Brown Seaweed	8
2.5.	Morphology and Phenology of <i>Dictyotales</i>	9
2.5.1.	Vegetative and reproductive variability	9
2.5.2.	Ecological significance	10
2.5.3.	Biogeography of <i>Dictyota</i>	11
2.5.4.	The bioactive terpenoids metabolites from Dictyotaceae	12
2.5.5.	Antimicrobial activity	13
2.6.	Taxonomy and Distribution	13
3.	MATERIAL AND METHODS	17
3.1	Sampling	17
3.1.1.	Topography of the selected sites	17
3.2.	Treatment of Seaweed	20
3.3.	Sampling Technique: Collection of Seaweeds	21
3.4.	Sample Preservation	22
3.4.1.	Wet preservation	22
3.4.2.	Dry method for preparation of a herbarium specimen	23
3.5.	Taxonomy of Seaweed	24
3.5.1	Measurement of morphology	25
3.6.	Histological Study – Sample Preparation	26

3.7.	Statistical Analysis	26
3.7.1	Data analysis	26
3.7.2	Principal component analysis (PCA)	26
3.7.3.	Multivariate test - hierarchical clustering	27
3.8	Biochemical Composition Analysis	28
3.8.1	Preparation of samples for analysis	28
3.8.2.	Moisture	28
3.8.3.	Ash	28
3.8.4.	Crude protein (CP)	29
3.8.5.	Crude lipid /Ether extracts (EE)	29
3.8.6.	Estimation of total carbohydrate	29
3.8.7.	Fatty acid profile analysis	30
3.9.	Total Phenolic Content	31
3.10.	Total Minerals	32
3.11.	Phytochemical Estimation	33
4.	RESULTS	36
4.1.	Taxonomic Records	36
4.1.1.	<i>Dictyota linearis</i> (C. Agardh) Graville	37
4.1.2.	<i>Dictyota bartayresiana</i> Lamouroux	38
4.1.3.	<i>Dictyota volubilis</i> syn. <i>D. dichotoma</i>	38
4.1.4	<i>Dictyota dichotoma</i> (Hudson) J. V. Lamouroux	39
4.1.5	<i>Dictyota maxima</i> Zanardini Syn. <i>Dictyota ciliolata</i> Sonder ex Kützing	40
4.1.6	<i>Dictyota ceylanica</i> Kützing	41
4.2	Morphological Description	42
4.2.1.	Thallus height	43
4.2.2.	Thallus width	43
4.2.3.	Branches and branchlet numbers	44
4.2.4.	Length and width of branchlets	44
4.2.5.	Lenth of stalk and the rhizoid	45

4.2.6	Apical width	45
4.2.7	Factoral analysis	54
4.2.8	Cluster analysis and multidimensional scaling	54
4.3	Histological Study	58
4.4	Nutritional Profile	63
4.4.1	Moisture	63
4.4.2.	Ash	63
4.4.3.	Crude protein	63
4.4.4	Crude lipid	64
4.4.5.	Total carbohydrate	64
4.4.6.	Total phenol	64
4.4.7.	Fatty acid profiles of the various <i>Dictyota spp</i>	65
4.4.8	Mineral composition of <i>Dictyota</i>	71
4.5.	Phytochemicals	74
5.	DISCUSSION	75
6.	SUMMARY	86
	REFERENCES	88
	LIST OF ABBREVIATIONS AND SYMBOLS	viii

LIST OF TABLES

Table no.	Name of Table	Page no.
1.	Sample allocation and sampling system	21
2.	Vegetative and Internal cell characters	25
3.	Test for phytochemicals	34
4.	Mean values of different morphological characters among different species	46
5.	Variance among the different component	56
6.	Component score of different morphological character	56
7.	Histological characteristics of different species	59
8.	Different composition contained in different species	66
9.	Percentage of fatty acid in different species	69
10.	Composition of Mineral elements in different species	72
11.	Phyto-chemical quantitative analysis	74

LIST OF FIGURES

Fig. No.	Name of Figure	Page No.
1.	Quadrat using for sampling	22
2.	Schematic illustration of the extraction methods of plant bioactive compounds using different solvent	35
3.	Variation among different species thallus height	47
4.	Variation among different species thallus width	47
5.	Variation among number of branches in thallus of different species	48
6.	Variation among the number of branchlets in different species	48
7.	Variation of length of stalk in different species	49
8.	Variation of the length of rhizoid in different species	49
9.	Variation among the length of branchlets in different species	50
10.	Variation among the width of branchlets in different species	50
11.	Variation among apical width of different species	51
12	Mean thallus height and width of different species	52
13	Mean number of main branches and branchlets of different species	52
14	Mean Length and width of different component of thallus in different species	53
15	Mean Length and width of of branchlet in different species	53
16	Scree plot according to the variance of the morphological characters	55
17	Component plot against component 1and2 of different morphological character	55

18	Dendogram of different species	57
19	Histological characteristic (cortical cell length and width) of different species	60
20	Histological characteristic of different species	60
21	Different composition contained in different species	67
22	Percentage of fatty acid category in different species	68
23	Percentage of fatty acid in different species	70
24	Composition of Mineral elements (main)in different species	73
25	Composition of Mineral elements (trace) in different species	73

LIST OF PLATES

Plate No	Name of Plate	Page No
1.	Google Map showing the location of Srivardhan sampling station	18
2.	Google map showing the location of Mandapam and Pamban	19
3.	Google map showing the location of Tangalle - Sri Lanka	20
4.	Photograph <i>Dictyota linearis</i> (C. Agardh) Graville from Pamban	37
5.	Photograph of <i>Dictyota bartayresiana</i> Lamouroux From Krusadai Island	38
6.	Photographs of <i>Dictyota volubilis</i> from Single Island	39
7	Photographs of <i>Dictyota dichotoma</i> (Hudson) J. V. Lamouroux from Mandapam	40
8	Photographs of <i>Dictyota maxima</i> Zanardini from Srivadhan	40
9	Photographs of <i>Dictyota ceylanica</i> Kützing from Sri Lanka	41
10	Internal cell characters of Dictyotas	61
11	Cell structures of individual species	62