

Contents

	Page
Contents	1
List of Figures	3
List of Tables	5
Acknowledgements	6
1. Introduction	1
1.1 Back ground	1
1.2 World cephalopod fishery	2
1.3 Cephalopod fishery in Sri Lanka	2
1.4 Importance of the resource	3
1.4.1 Importance as a food fish	3
1.4.2 Importance as bait for line fisheries	4
1.4.3 Importance of squids for export market	4
1.4.4 Important member of the food chain	4
1.5 Reproduction and life cycle of squids	5
1.6 Squid growth and factors influencing the growth	7
1.6.1 Influence of the temperature	8
1.7 Squid behaviour	8
1.7.1 Feeding	8
1.7.2 Migration	9
1.7.3 Response to the light	10
1.8 Fishing techniques used to harvest squids	10
1.9 Classification of Cephalopods	13
1.10 Squid stock assessment	15
2. Materials and Methods	16
3. Results	18
3.1 Recorded species	18
3.2 Fishing craft and gear used in the fishery	18
3.3 <i>Loligo singhelensis</i>	21
3.4 <i>Stenoteuthis aualaniensis</i>	24
3.5 <i>Sepioteuthis lessoniana</i>	26

3.6 <i>Sepia pharaonis</i>	28
	Page
3.7 <i>Sepia aculeata</i>	30
3.8 <i>Sepia prasadi</i> and <i>S. innermis</i>	32
3.9 Octopus varieties	31
3.10 Seasonal variations of the major cephalopod varieties	33
3.11 Distribution of the cephalopod resources in the study area	34
3.12. Influence of the lunar cycle on the cephalopod production	36
3.13. Length frequency distribution	37
3.14 Length weight relationship	39
4. Discussion	40
5. References	43

List of Figures

		Page
Fig. 1.	Life cycle of a cephalopod	3
Fig. 2	Some of the traditional fishing techniques used by small scale fishermen to catch coastal squid.	11
Fig. 3	New technologies involved light attracting methods with electric luring lights, include stick held dip netting, stick held cast netting, stick held box net and squid angling.	12
Fig. 4	Body forms of some important groups of cephalopods.	13
Fig. 5	Map of the study area with major cephalopod landing centers.	17
Fig. 6	Schematic diagram of a traditional "pila wattti", used by the fishermen in Wennappuwa area.	20
Fig. 7	The estimated total production of <i>L. singhalensis</i> for different areas during the year 2002.	22
Fig. 8	Seasonal variation of the estimated production of <i>L. singhalensis</i> in different areas.	22
Fig. 9	The estimated total production of <i>L. singhalensis</i> by different gears during the study period	22
Fig. 10	Seasonal variation of the estimated production of <i>L. singhalensis</i> by different gears.	22
Fig. 11	The estimated total production of <i>S. aualaniensis</i> for different areas during the year 2002.	25
Fig. 12	Seasonal variation of the estimated production of <i>S. aualaniensis</i> in different areas.	25
Fig. 13	The estimated total production of <i>S. aualaniensis</i> by different gears during the study period	25
Fig. 14	Seasonal variation of the estimated production of <i>S. aualaniensis</i> by different gears.	25
Fig. 15	The estimated total production of <i>S. lessoniana</i> for different areas during the year 2002.	27
Fig. 16	Seasonal variation of the estimated production of <i>S. lessoniana</i> in different areas.	27
Fig. 17	The estimated total production of <i>S. lessoniana</i> by different gears during the study period	27

Page

Fig. 18	Seasonal variation of the estimated production of <i>S. lessoniana</i> by different gears.	27
Fig. 19	The estimated total production of <i>S. pharaonis</i> for different areas during the year 2002.	29
Fig. 20	Seasonal variation of the estimated production of <i>S. pharaonis</i> in different areas.	29
Fig. 21	The estimated total production of <i>S. pharaonis</i> by different gears during the study period	29
Fig. 22	Seasonal variation of the estimated production of <i>S. pharaonis</i> by different gears.	29
Fig. 23	The estimated total production of <i>S. acculeata</i> for different areas during the year 2002.	31
Fig. 24	Seasonal variation of the estimated production of <i>S. acculeata</i> in different areas.	31
Fig. 25	The estimated total production of <i>S. acculeata</i> by different gears during the study period	31
Fig. 26	Seasonal variation of the estimated production of <i>S. acculeata</i> by different gears.	31
Fig. 27	Spatial distribution of the cephalopod resources in the study area.	33
Fig. 28	Seasonal distribution of the cephalopod resources in the study area.	33
Fig. 29	A schematic diagram of the vertical distribution of commercially important cephalopod varieties.	35
Fig. 30	The variation of the squid production in relation to the phase of the moon. The relationship is pronounced in pelagic squids than benthic cuttlefish varieties.	36
Fig. 31	Overall length frequency distribution of different squid and cuttlefish varieties.	37
Fig. 32	Estimated growth curve of <i>L. singhalensis</i> with mean values corresponds to different length modes.	38
Fig. 33	Length weight relationships of different squid and cuttlefish varieties.	39

List of Tables

Table 1	Species wise total cephalopod production in different areas during the period from 2001 to 2002	23
---------	---	----